

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1417	@ad<"20020103" and (priorit\$3 QOS class\$5 level) with threshold and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:02
L2	349	@ad<"20020103" and (priorit\$3 QOS class\$5 level) with threshold with (queue buffer) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:02
L3	181	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:28
L4	16	("5838922").URPN.	USPAT	OR	ON	2005/12/08 08:07
L5	98	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer) and ("370"/\$.ccls. "709"/\$.ccls.) and (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (transmi\$5 send\$3 forward\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:24
L6	18	"5,983,278"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:24
L7	16	("4933933"   "5313454"   "5369745"   "5471623"   "5570348"   "5689508"   "5724351"   "5787071"   "5790522"   "5838922"   "6084855"   "6122251"   "6240075"   "6252849"   "6259698"   "6388993").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/08 09:02
L8	6	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressur\$3) backpressur\$3) with selective	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:23
L9	16	("4933933"   "5313454"   "5369745"   "5471623"   "5570348"   "5689508"   "5724351"   "5787071"   "5790522"   "5838922"   "6084855"   "6122251"   "6240075"   "6252849"   "6259698"   "6388993").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/08 09:20
L10	8	"5841773"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/08 09:20
L11	64	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressur\$3) backpressur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:27
L12	68	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer memory) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressur\$3) backpressur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:23
L13	411	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer memory) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:30

L14	104	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer memory) and ("370"/\$.ccls. "709"/\$.ccls.) and (halt\$3 inhibit\$4 stop\$4 throtl\$3 paus\$3 suspen\$5) with (transmi\$5 send\$3 forward\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:28
L15	58	14 not 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:28
L16	26	@ad<"20020103" and (priorit\$3 QOS class\$5) with threshold with (queue buffer memory) and ("370"/\$.ccls. "709"/\$.ccls.) and "802.\$3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:31
L17	55	@ad<"20020103" and (priorit\$3 QOS class\$5) same threshold same (queue buffer memory) and ("370"/\$.ccls. "709"/\$.ccls.) and "802.\$3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 09:31
S31	6626	(priority qos class\$5) with flow with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:48
S32	2538	(priority qos class\$5) with flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:48
S33	322	(priority qos class\$5) with flow adj control and (priority qos) near5 (level? threshold?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:50
S34	283	(priority qos class\$5) with flow adj control and (priority qos) near5 (level? threshold?) and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:51
S35	192	S34 and @ad<"20020103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:51
S36	2	S34 and @ad<"20020103" and (pause stop control adj frame) with congest\$3 with (priority QOS class\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:09
S37	7	("6035333"   "6170022"   "6181699"   "6212582"   "6628613"   "6667985"   "6721273").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/07 14:08
S38	0	"6980520"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/07 14:08

S39	2101	@ad<"20020103" and congest\$3 with (priority QOS class\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:09
S40	216	@ad<"20020103" and congest\$3 with (priority QOS class\$5) with (pause stop control) with (message frame packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:11
S41	21	@ad<"20020103" and congest\$3 with (priority QOS class\$5) with (pause stop notif\$5) with (message frame packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:18
S42	120	@ad<"20020103" and congest\$3 with (priority QOS class\$5) and (backpressure back adj pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:19
S43	120	@ad<"20020103" and congest\$3 with (priority QOS class\$5) and (backpressure (back adj pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:22
S44	10913	@ad<"20020103" and (priority QOS class\$5) same (backpressure (back adj pressure) stop throttle pause)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:23
S45	390	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3) with (packet frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:24
S46	0	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3) with (packet frame) and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:24
S47	99	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3) with (packet frame) and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:46
S48	45	@ad<"20020103" and ((priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (packet frame)) same congest\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:57
S49	46	pause adj frame same priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:55

S50	21	S49 and @ad<"20020103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:51
S51	261	pause same (packet frame) same (priority class qos)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:56
S52	1906	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (level value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:58
S53	196	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (level value) and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:58
S54	522	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (level value) and (packet frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:00
S55	388	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with below	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:01
S56	6	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with below with (packet frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:05
S57	6	@ad<"20020103" and (priority QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with less with (packet frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:08
S58	259	@ad<"20020103" and (priority QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (below less) same (packet frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:08
S59	102	@ad<"20020103" and (priority QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (below less) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:49
S60	104	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (below less) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:33

S61	777	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:33
S62	234	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:35
S63	103	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) with (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) with (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.) and congest\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:33
S64	12	"9900949"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:26
S65	26	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) with congest\$4 with notif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:38
S66	189	@ad<"20020103" and (priority (Quality adj2 service) QOS class\$5) with (backpressure (back adj pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:05
S67	1	1999-606997.NRAN.	DERWENT	OR	ON	2005/12/07 17:24
S68	884	@ad<"20020103" and (priority\$3 (Quality adj2 service) QOS\$1 class\$5) with threshold same (queue buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:06
S69	52842	@ad<"20020103" and (priority\$3 QOS\$1 class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:08
S70	182	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:08
S71	765	@ad<"20020103" and (priority\$3 QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:51
S72	41	@ad<"20020103" and (priority\$3 QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif47)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:52

S73	345	@ad<"20020103" and (priorit\$3 QOS class\$5) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same (packet frame) and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 18:56
S74	153	@ad<"20020103" and (priorit\$3 QOS class\$5 level) same (halt\$3 inhibit\$4 stop\$4 throttl\$3 paus\$3 suspen\$5) same congest\$3 and ("370"/\$.ccls. "709"/\$.ccls.) and ((back adj pressure) backpressure notif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:01